Amendment US040081US2

Appl. no. 10/597, 315 Inventor: Goldberg, N.

IN THE CLAIMS

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A method for managing a plurality of programs, the method comprising the steps of:

providing a call processor that receives a program request initiated by a user via a key-pad device;

establishing a communication channel with the key-pad device to generate a command signal indicative of a program desired by the user;

establishing a separate second communication channel with a television unit; and, transmitting the command signal to [[a]] said television unit for display of the program desired by the user.

- 2. (Original) The method of claim 1, further comprising the step of authenticating the user upon the establishment of the communication channel.
- 3. (Original) The method of claim 1, wherein the command signal comprises a signal to store a particular program in a storage medium.
- 4. (Original) The method of claim 1, wherein the plurality of programs includes at least one of a television network, Internet network, wireless network, and wired network, or a combination thereof.
- 5. (Original) The method of claim 1, wherein the communication channel is established by a phone-line connection.
- 6. (Original) The method of claim 1, wherein the communication channel is established by wireless connection.

Amendment US040081US2

Appl. no. 10/597, 315 Inventor: Goldberg, N.

7. (Original) The method of claim 1, wherein the display of the program is provided interactively in response to said user's input.

- 8. (Original) The method of claim 1, wherein the display of the program is provided interactively in response to said user's voice input.
- 9. (Currently amended) A system for managing a plurality of programs, comprising:

an input device having a key pad for transmitting a program request by a user, via a first communication channel, and

a controller for generating a command signal indicative of a program selected by the user interactively and transmitting the command signal to a receiver for display, via a second communication channel.

- 10. (Original) The system of claim 9, wherein the controller further provides a program list selectable by the user.
- 11. (Original) The system of claim 9, further comprising a display device for displaying the program selected by the user.
- 12. (Original) The system of claim 9, wherein the display device is configured to receive incoming television programs.
- 13. (Original) The system of claim 9, wherein the controller is configured to authenticate the user.
- 14. (Original) The system of claim 9, wherein the input device comprises a plurality key buttons to selectively transmit the command signal.

Amendment US040081US2

Appl. no. 10/597, 315 Inventor: Goldberg, N.

- 15. (Original) The system of claim 9, wherein the receiver is a television unit.
- 16. (Original) The system of claim 9, further comprising a storage device for storing data representative of a plurality of programs corresponding to incoming television programs.
- 17. (Original) The system of claim 9, wherein the plurality of programs includes at least one of a television network, Internet network, wireless network, and wired network, or a combination thereof.
- 18. (Original) The system of claim 9, wherein the input device further comprising a voice response device for interactively transmitting a program request by a user.
- 19. (Currently amended) A system for managing a plurality of programs, comprising:
 - a memory for storing a computer-readable code; and
 - a processor operatively coupled to said memory, said processor configured to:
 receive a program request initiated by a user via a key-pad device;
 establish a communication channel with the key-pad device to generate a
 command signal reflective of a program desired by the user interactively; and,
 transmit the command signal, via a second communication channel, to a
 display unit for displaying the program desired by the user.
- 20. (Original) The system of claim 19, wherein the controller is further configured to authenticate the user upon the establishment of the communication channel.
- 21. (Original) The system of claim 19, wherein the plurality of programs includes at least one of a television network, Internet network, wireless network, and wired network, or a combination thereof.